



**ПРИВАТНИЙ ВИЩИЙ НАВЧАЛЬНИЙ ЗАКЛАД
«ХАРКІВСЬКИЙ МІЖНАРОДНИЙ МЕДИЧНИЙ УНІВЕРСИТЕТ»**

**МЕДИЧНІ ТА БІОЛОГІЧНІ НАУКИ:
МІЖДИСЦИПЛІНАРНИЙ АСПЕКТ
MEDICAL AND BIOLOGICAL SCIENCES:
INTERDISCIPLINARY ASPECT**

Матеріали VI Міжнародної міждисциплінарної науково-практичної
конференції до Всесвітнього дня анатомії
Materials of VI International Interdisciplinary Scientific and Practical
Conference dedicated to World Anatomy Day

(реєстраційне посвідчення УкрІНТЕІ № 604 від 02 вересня 2025 р.)

15-16 жовтня 2025 року



**Харків
ПВНЗ «ХММУ»
2025**

ПРИВАТНИЙ ВИЩИЙ НАВЧАЛЬНИЙ ЗАКЛАД
«ХАРКІВСЬКИЙ МІЖНАРОДНИЙ МЕДИЧНИЙ УНІВЕРСИТЕТ»

МЕДИЧНІ ТА БІОЛОГІЧНІ НАУКИ: МІЖДИСЦИПЛІНАРНИЙ АСПЕКТ
MEDICAL AND BIOLOGICAL SCIENCES: INTERDISCIPLINARY ASPECT

Матеріали VI Міжнародної міждисциплінарної науково-практичної конференції
до Всесвітнього дня анатомії

Materials of VI International Interdisciplinary Scientific and Practical Conference
dedicated to World Anatomy Day

(м. Харків, 15—16 жовтня 2025 року)

(Kharkiv, Ukraine, October 15—16, 2025)

Харків

ПВНЗ «ХММУ»

2025

УДК (61:57):004.773.7

М 42

Редакційна колегія:

д-р пед. наук, доц. Давидова Ж.В.; канд. пед. наук Кудрявцева Т.О.; канд. біол. наук, доц. В'язовська О.В.; канд. біол. наук Тининика Л.М.; канд. біол. наук Нікольченко А.Ю.; канд. фарм. наук, доц. Бризицька О.А.; канд. техн. наук, доц. Нессонова М.М.; зав. бібліотеки Чернишенко Н.П.

(реєстраційне посвідчення УкрІНТЕІ № 604 від 02 вересня 2025 р.)

Матеріали подаються мовою оригіналу.

За достовірність матеріалів відповідальність несуть автори.

М42 Медичні та біологічні науки: міждисциплінарний аспект: матеріали VI Міжнародної міждисциплінарної науково-практичної конференції до Всесвітнього дня анатомії (15—16 жовтня 2025 р., м. Харків) / за заг. ред. Д. М. Шияна; Приватний вищий навчальний заклад «Харківський міжнародний медичний університет». – Харків: СГ НТМ «Новий курс», 2025. – 236 с.
ISBN 978-617-7886-88-3
DOI: 10.61718/khimu2025

Збірник містить матеріали VI Міжнародної міждисциплінарної науково-практичної конференції до Всесвітнього дня анатомії «**Медичні та біологічні науки: міждисциплінарний аспект**», є нефаховим науковим виданням, яке висвітлює теоретичні та практичні результати наукових досліджень науково-педагогічних і педагогічних працівників закладів вищої освіти, молодих науковців (докторантів, аспірантів, студентів), лікарів-практиків, наукових співробітників з історії становлення вітчизняної та світової морфології, актуальних питань застосування сучасних морфологічних методів і наукових технологій в медицині; клінічних, діагностичних, фармакологічних аспектів клінічної медицини; цифрових технологій в медичній науці, практиці та освіті; міждисциплінарного підходу до підготовки майбутніх лікарів в Україні та в світі.

Для широкого кола наукових, науково-педагогічних (педагогічних) і практичних працівників, що займаються питаннями сучасних морфологічних методів і наукових технологій в медицині; клінічних, діагностичних, фармакологічних аспектів клінічної медицини; впровадження цифрових технологій в медичну науку, практику і освіту; реалізації міждисциплінарного підходу до підготовки майбутніх лікарів в Україні та в світі.

УДК (61:57):004.773.7

© ПВНЗ «Харківський міжнародний медичний університет», 2025

© Колектив авторів, 2025

GENDER CHARACTERISTICS OF THE TYPES OF PTERYGOMAXILLARY FISSURE

Guliyeva K.J., Ganbayeva Sh.F., Mustafayeva N.A.

Azerbaijan Medical University, Baku, Azerbaijan

kquliyeva@amu.edu.az, sqanbayeva@amu.edu.az, n.a.jafarova@gmail.com

Introduction. The pterygomaxillary fissure is an important anatomical structure with variations that may differ between males and females. While its forms have been studied in adults, little is known about how these differences appear across different ages and sexes. Understanding these variations can improve clinical practice and anthropological research. This study focuses on revealing the gender-specific types of the pterygomaxillary fissure.

The aim of the study was to identify the gender dimorphism in the types of the pterygomaxillary fissure.

Material and method. Based on the research objectives, we examined the sexual dimorphism of pterygomaxillary fissure types across different age groups. For this study, 56 human skulls (38 male and 18 female) preserved and cataloged in the Fundamental Museum of the Department of Human Anatomy and Medical Terminology at Azerbaijan Medical University were analyzed. Cranioscopic and morphometric techniques were employed to assess and classify the fissure types.

Results. In women, the findings are as follows: on the right side, 47.7% (26) have the average type, 35.3% (19) have the narrow-high type, and 17.0% (11) have the wide-low type. On the left side, the average and narrow-high types are present in slightly higher proportions, with 51.1% (28) and 38.6% (21), while the wide-low type is found significantly less often at 10.3% (7). Disregarding the sides, the distribution in men shows that the narrow-high type of the pterygomaxillary fissure is found in 26.0% (14), the average type in 38.5% (22), and the wide-low type in 35.5% (21). Based on these findings, it can be stated that the average type is the most prevalent in men, followed by the wide-low type, while the narrow-high type is the least common.

Conclusion. Thus, the pterygomaxillary fissure types, similar to linear dimensions and shapes, may show gender-based differences. In men, the medium and wide-low types are more frequently observed, whereas in women, the medium and narrow-high types are predominant. The medium type is the most common in both men (38.5%) and women (49.4%).

RANGE OF VARIABILITY OF MANDIBULAR AND CHIN ANGLES INDICATORS IN PEOPLE OF MATURE AGE

Boiagina O.D., Sosonna L.O., Klochko N.I.

Kharkiv National Medical University, Kharkiv, Ukraine

od.boiahina@knmu.edu.ua

Introduction. The mandibular and chin angles have a certain significance for understanding the profile configuration of the facial skull. The mandibular angle is formed by the body of the mandible and its ramus. The chin angle is established at the intersection of the basal plane and the line passing through the pogonion and infradentale points.

The aim of the study was to establish the range of variability of the mandibular and chin angles in people of mature age depending on the craniotype.

Materials and methods. The research material was 115 skulls of mature age people of both sexes, including 35 bone preparations of a complete or fragmented skulls from the museum collection of the Department of Human Anatomy, Clinical Anatomy and Operative Surgery of Kharkiv National Medical University (KhNMU), and 80 results of studies of the human head on a computed tomography scanner without bone tissue pathology, selected in the medical and diagnostic center on the basis of a cooperation agreement with the Department of Human Anatomy, Clinical Anatomy and Operative Surgery of KhNMU.

Craniometric research of certified bone preparations from the museum collection was carried out using a set of measuring devices with appropriate metrological support. Craniometric studies of the results of computed tomography examinations were carried

ЗМІСТ / CONTENTS

**НАПРЯМ 1..... СУЧАСНІ МОРФОЛОГІЧНІ МЕТОДИ ТА НАУКОВІ
ТЕХНОЛОГІЇ В МЕДИЦИНІ**

**DIRECTION 1. ACTUAL MORPHOLOGICAL METHODS AND
SCIENTIFIC TECHNOLOGIES IN MEDICINE**

ВЗАЄМОЗВ'ЯЗКИ МІЖ ВЕЛИЧИНОЮ ОЧНОГО ЯБЛУКА, ЯК
ПЕРИФЕРИЧНОЇ ЧАСТИНИ ЗОРОВОГО АНАЛІЗАТОРУ ТА ОЧНОЇ ЯМКИ
ЧЕРЕПУ ЗА ДОПОМОГОЮ МОРФОМЕТРИЧНОГО ТА
КРАНІОМЕТРИЧНОГО МЕТОДІВ ДОСЛІДЖЕННЯ

Абдул-Огли Л.В., Олійник К.А., Кошарний Д.В. 8

ЕФЕКТИВНІСТЬ ЗОВНІШНЬОГО ЗАСТОСУВАННЯ СУЛЬФІДНОЇ
МІНЕРАЛЬНОЇ ВОДИ У ПАЦІЄНТІВ З ОСТЕОАРТРИТОМ

Балашова І.В., Польщаківа Т.В., Гуца С.Г. 10

МОЖЛИВОСТІ ФІЗИЧНОЇ ТЕРАПІЇ У ПАЦІЄНТІВ З ОСТЕОАРТРИТОМ ТА
КОМОРБІДНОЮ ПАТОЛОГІЄЮ У ПОСТКОВІДНОМУ ПЕРІОДІ

Балашова І.В., Дукова О.Р., Лисий І.С. 13

ЗМІНИ ЩІЛЬНОСТІ МЕЛАТОНІНОВИХ РЕЦЕПТОРІВ 1А У НЕЙРОНАХ
ПРИШЛУНОЧКОВОГО ЯДРА ГІПОТАЛАМУСА ЩУРІВ ЗА РІЗНОЇ
ТРИВАЛОСТІ ФОТОПЕРІОДУ ТА УВЕДЕННЯ МЕЛАТОНІНУ

Булик Р.Є., Федоряк І.В., Агранов О.С. 16

МОРФОЛОГІЧНА ОЦІНКА АНГІОГЕНЕЗУ ПРИ ВИКОРИСТАННІ
БІОМАТЕРІАЛІВ У ХІРУРГІЇ

Діброва В.В., Попович Я.М. 18

ДОСЛІДЖЕННЯ НАНОЧАСТИНОК ЯК ПОТЕНЦІЙНИХ БІОМЕДИЧНИХ
АГЕНТІВ

Карнаух Т.Ю., Мехед О.Б. 22

ПОШКОДЖЕННЯ ХРЕБТА ТА СПИННОГО МОЗКУ ПРИ ДІЇ УДАРНОЇ
ХВИЛІ НА ФУНКЦІОНАЛЬНІ ПОКАЗНИКИ М'ЯЗІВ КІНЦІВОК ЩУРІВ

Кошарний В.В., Китова І.В., Кушнар'ова К.А. 25

ЗАХВОРЮВАНІСТЬ НА СКАРЛАТИНУ В УКРАЇНІ В УМОВАХ ВОЄННОГО СТАНУ Нессонова Т.Д., Подаваленко А.П., Білера Н.В.	27
ВІКОВА МОРФОЛОГІЯ ЛИЦЕВОЇ ДІЛЯНКИ Солтис Р.М., Хмара Т.В., Столяр Д.Б.	30
СУЧАСНІ АСПЕКТИ КОРОНАВІРУСНОЇ ІНФЕКЦІЇ Тининика Л.М., Лоцкіна Я.Г.	32
ОСОБЛИВОСТІ СТРУКТУРНО-ФУНКЦІОНАЛЬНОЇ ПЕРЕБУДОВИ СЕРЦЯ ЩУРІВ ПРИ ІНТОКСИКАЦІЇ ЕКЗОГЕННОГО ПОХОДЖЕННЯ Янчишин А.Я. , Тимошенко І.О.	35
APPLIED SIGNIFICANCE OF ANATOMY IN THE DIAGNOSIS OF ULNAR NERVE INJURIES Biryuk I.G.	38
GENDER CHARACTERISTICS OF THE TYPES OF PTERYGOMAXILLARY FISSURE Guliyeva K.J., Ganbayeva Sh.F., Mustafayeva N.A.	41
RANGE OF VARIABILITY OF MANDIBULAR AND CHIN ANGLES INDICATORS IN PEOPLE OF MATURE AGE Boiagina O.D., Sosonna L.O., Klochko N.I.	42
NEW METHOD IN PROPHYLAXIS OF INTESTINAL ANASTOMOTIC LEAKAGE Mammadov T.E.	44
THE IMPACT OF INTENSE PHYSICAL EXERCISE ON THE ULTRASTRUCTURE OF INTERALVEOLAR CAPILLARIES Sultanova T.S., Yagubova S.M., Guliyeva K.J.	45
MECHANISMS UNDERLYING THE EFFECTS OF HYPOBARIC HYPOXIA ON THE THYROID GLAND Yagubova S., Sultanova T., Akbarov E.	47